




MPPT controller
Quick charge



Patented
Protection board

*Focus On Solar/Hybrid
Lighting 2025*




Self-developed MPPT Controller

Makes charging efficiency 60% more than common controller, solar lighting has outstanding performance on rainy and cloudy days. The conversion efficiency is up to 99%, when it is same capacity, output much more brightness.



Patented Protection Board

Makes the battery cell capacity on a high level after long time operation, which has great significance on long lifespan of battery and whole lamp's quality.



Brand New Motive Powered EV Battery

High quality motive powered EV battery and High current BMS, makes the lamps have long life span and continuous high brightness.




Patented Electricity and Solar Hybrid

Can perfectly solve the problem of dimming or stopping working of solar lighting due to rainy days and cloudy days, which can be customized with our superior technology ability.



Superior Product Functional Design

We can constantly finalize some functions which are advised by clients to coordinate with them to gain market.



Project Customization Ability

We accept customization for project, including different lamps, different functions, different working modes, different capacity, and so on. We have many good feedbacks of brightness and quality from client.



Product Parameters

We specialize in technology development.

Constant lighting is some projects' requirements.

AC and solar hybrid system can perfectly solve the problem of dimming or stopping working of solar system due to rainy days etc.

It can be either AC or solar to work preferentially.

For solar preferentially, ordinarily, the lamp works with solar energy, but when battery is low (electric quantity percentage can be customized when converting to AC), the lamp will automatically work with alternating current or the battery will be charged by AC.

For AC preferentially, ordinarily, the lamp works with AC, and the battery is gotten charged, but when the AC stops, the battery starts to supply power to the lamp.

There are indicators for showing it works with AC or solar, it also can be controlled to work with AC by the remote compulsively even though it is working with solar energy.

Capacity of AC and solar both can be customized as clients' requirement.

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-338	
Power	600W	1000W
Lithium battery	30AH 6.4V	36AH 6.4V
Photovoltaic panel	45W 8V	55W 8V
LED Chip	240lm/W 5050 SMD	
CCT	3000K/4000K/6500K	
Lighting time	Whole night +3 rainy days	
Waterproof level	IP65	
Material	Brand New ABS	
Warranty	3 Years	
Application site	street , community , home , villa , school , farm , yard , park ,warehouse . etc	
Remote function (if required)	1.On and off 2.Increasing and reducing the brightness 3.Operation time setting 4.Reset 5.Switch on and off the sensor(if required) .	

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-346				
Power	200W	300W	400W	500W	600W
Lithium battery	24AH 3.2V	30AH 3.2V	36AH 3.2V	42AH 3.2V	54AH 6.4V
Solar panel(6V)	20W Mono	24W Mono	31W Mono	35W Mono	40W Mono
Module quantity	2 PCS	3 PCS	4 PCS	5 PCS	6 PCS
LED Chip	Reflector with 5730 led chip / Lens with 5050 led chip				
CCT	3000K/ 4000K/ 6500K				
Charging time	6H				
Lighting time	Whole night +3 rainy days				
Waterproof level	IP65				
Material	Brand New ABS+lens/reflector				
Warranty	3 Years				
Application site	street , community , home , villa , school , farm , yard , park ,warehouse . etc				
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor				

① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-325		
Power	200W	400W	600W
Lithium battery	15AH 6.4V	18AH 6.4V	30AH 6.4V
Photovoltaic panel	23W	28W	40W
Luminous	3240LM	3950LM	6600LM
LED Qty(5050 SMD)	124 PCS	186 PCS	248 PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Lighting time	Whole night +3 rainy days		
Waterproof level	IP65		
Material	Brand New ABS		
Warranty	3 Years		
Application site	street , community , home , villa , school , farm , yard , park ,warehouse . etc		
Product features	Brand new ABS , high brightness , fast charging , intelligent dimming		

- ① SOLAR
- ② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-334
Power	600W
Lithium battery	6.4V 30AH brand new EV battery
Solar panel(8V)	37W
LED Chip	240lm/W 5050 SMD
Module quantity	1 PCS
CCT	3000K/ 4000K/ 6500K
Charging time	6H
Lighting time	More than 18 hours after one full charge
Waterproof level	IP65
Material	Aluminum+acrylic optical lens
Warranty	3 Years
Application site	Street, highway, school, yard, park, etc
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).

① SOLAR
② SOLAR AND AC HYBRID




Different pole arms are available



Product Parameters

Model	SSL-337 Aluminum				
Power	100W	150W	200W	250W	300W
Lithium battery	24AH 3.2V Brand new EV battery	30AH 3.2V Brand new EV battery	36AH 3.2V Brand new EV battery	45AH 3.2V Brand new EV battery	30AH 6.4V Brand new EV battery
Photovoltaic panel	22W 5V	28W 5V	35W 5V	45W 5V	50W 8V
Module quantity	2PCS	3PCS	4PCS	5PCS	6PCS
LED Chip	High brightness 240lm/w chip				
CCT	3000K/4000K/6500K				
Lighting time	All night + 3 rainy days				
Waterproof level	IP65				
Material	Aluminium +acrylic optical lens				
Warranty	3 Years				
Remote	YES/NO				
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Reset				
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.				

- ① SOLAR
- ② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-308		
Power	200W	400W	600W
Lithium battery	30AH 3.2V	18AH 6.4V	30AH 6.4V
Photovoltaic panel	28W	40W	40W
Luminous	3240LM	4500LM	6300LM
LED Qty(2835/5050 SMD)	84 PCS	144 PCS	144 PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Lighting time	Whole night +3 rainy days		
Waterproof level	IP65		
Material	Brand New ABS		
Warranty	3 Years		
Application site	street , community , home , villa , school , farm , yard , park ,warehouse . etc		
Product features	Brand new ABS , high brightness , fast charging , intelligent dimming		

① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-321			
Power	300W	400W	500W	600W
Lithium battery	6.4V 18AH	6.4V 30AH	6.4V 36AH	6.4V 45AH
Photovoltaic panel(10V)	28W	40W	55W	55W
CCT	3000K/4000K/6500K			
Lighting time	All night + 3 rainy days			
Waterproof level	IP65			
Material	Aluminium +acrylic optical lens			
Warranty	3 Years			
Application site	street , community , beach , island , villa , school ,farm , yard , park , basement , warehouse etc			
Product features	Dual MPPT controller , Mono panel , high brightness , radar sensor ,fast charging			
Remote	YES/NO			
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor.			
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.			

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-314		
Power	300W	400W	500W
Lithium battery	30Ah 6.4V	36Ah 6.4V	48Ah 6.4V
Mono solar panel(10V)	45W	50W	60W
Luminous	6750lm	7500lm	9600lm
Module quantity	3pcs	4pcs	5pcs
CCT	3000K/4000K/6500K		
Lighting time	at least 18hours after one full charge		
Waterproof level	IP65		
Material	Aluminium +acrylic optical lens		
Warranty	3 Years		
Sensor	YES/NO		
Application site	Street, highway, school, yard, park, etc		
Remote	YES/NO		
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor.		
Indicator function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.		

① SOLAR
② SOLAR AND AC HYBRID



Different pole arms are available

Product Parameters

Model	SSL-329					
Power	100W	200W	300W	400W	500W	600W
Lithium battery	6.4V 30AH	6.4V 36AH	6.4V 45AH	6.4V 54AH	6.4V 72AH	6.4V 90AH
Solar panel(10V)	45W	55W	65W	85W	110W	140W
LED Chip	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050
Module quantity	1PCS	2PCS	2PCS	3 PCS	3 PCS	4 PCS
CCT	3000K/4000K/6500K					
Lighting time	More than 18 hours after one full charge					
Waterproof level	IP65					
Material	Aluminum+acrylic optical lens					
Warranty	3Years					
Application site	Street, highway, school, yard, park, etc					
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor.					
Indicator function (if required)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.					

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-330		
Power	100W	300W	500W
Lithium battery	6.4V 30AH	6.4V 48AH	6.4V 54AH
Solar panel(10V)	45W	65W	85W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	2PCS	3PCS	4 PCS
CCT	3000K/ 4000K/ 6500K		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	carbon steel with outdoor paint+acrylic optical lens		
Warranty	3 Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor.		
Indicator function (if required)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.		

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-332		
Power	300W	400W	500W
Lithium battery	6.4V 54AH Brand new EV Battery	6.4V 72AH Brand new EV Battery	6.4V 90AH Brand new EV Battery
Solar panel(10V)	75W	110W	130W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	2PCS	4PCS	6PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	carbon steel		
Warranty	3 Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).		

- ① SOLAR
- ② SOLAR AND AC HYBRID



There are two kinds of adaptor for choice.



Product Parameters

Model	SSL-345		
Power	500W	600W	700W
Lithium battery	6.4V 36AH Brand new EV Battery	6.4V 54AH Brand new EV Battery	6.4V 72AH Brand new EV Battery
Solar panel(10V)	75W Mono	100W Mono	120W Mono
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	3PCS	4PCS	5PCS
CCT	3000K/ 4000K/ 6500K		
Charging time	6H		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	carbon steel with electro-plate and outdoor painting		
Warranty	3 Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).		

① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-331		
Power	500W	600W	700W
Lithium battery	6.4V 45AH Brand new EV Battery	6.4V 54AH Brand new EV Battery	6.4V 72AH Brand new EV Battery
Solar panel(10V)	75W	100W	125W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	1PCS/3PCS	1PCS/4PCS	2PCS/6PCS
CCT	3000K/ 4000K/ 6500K		
Charging time	6H		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	carbon steel with outdoor paint+acrylic optical lens		
Warranty	3 Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).		

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-335			
Power	200W	300W	400W	500W
Lithium battery	36AH 6.4V EV battery	54AH 6.4V EV battery	72AH 6.4V EV battery	90AH 6.4V EV battery
Photovoltaic panel	10V 65W	10V 85W	10V 110W	10V 130W
LED Chip	240lm/W 5050 SMD			
Module quantity	1 fat/2 slim	2 fat/3 slim	3 fat/4 slim	4 fat/5 slim
CCT	3000K/4000K/6500K			
Lighting time	at least 18hours after one full charge			
Waterproof level	IP65			
Material	Aluminium+acrylic lens			
Warranty	3 Years			
Application site	Street, highway, school, yard, park, etc			
Remote function	1. On / Off 2. CCT setting 3. Brilliance control 4. Working time setting 5. Sensor can be on / off by remote			

① SOLAR
② SOLAR AND AC HYBRID



Different pole arms are available



Product Parameters

Model	SSL-318					
Power	100W	200W	300W	400W	500W	600W
Lithium battery	6.4V 30AH	6.4V 36AH	6.4V 45AH	6.4V 54AH	6.4V 72AH	6.4V 90AH
Mono panel(10V)	45W	55W	65W	85W	110W	140W
LED Chip	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050	240lm/W 5050
Module quantity	6PCS	8PCS	8PCS	12 PCS	12 PCS	14 PCS
CCT	3000K/4000K/6500K					
Lighting time	at least 18hours after one full charge					
Waterproof level	IP65					
Material	Aluminium +acrylic optical lens					
Warranty	3 Years					
Application site	High way,street,community,villa,school,farm,factory,park,basement,etc					
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off					
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.					

① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-315			
Power	50W	60W	80W	90W
Lithium battery	30Ah 6.4V	36Ah 6.4V	48Ah 6.4V	60Ah 6.4V
Mono solar panel(10V)	45W	55W	70W	80W
Luminous	7000lm	8750lm	11050lm	12000lm
Module quantity	2pcs	3pcs	4pcs	5pcs
CCT	3000K/4000K/6500K			
Lighting time	at least 18hours after one full charge			
Waterproof level	IP65			
Material	Aluminium +acrylic optical lens			
Warranty	3 Years			
Sensor	YES/NO			
Application site	Street, highway, school, yard, park, etc			
Remote	YES/NO			
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor.			
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.			

①SOLAR

②SOLAR AND AC HYBRID



Product Parameters

Model	SSL-319				
Power	50w	80W	100W	120W	140W
Lithium battery	36Ah 6.4V	54Ah 6.4V	72Ah 6.4V	48Ah 12.8V	54Ah 12.8V
Mono solar panel	55W	85W	110W	130W	150W
Luminous	7000lm	10500lm	12500lm	15000lm	18000lm
Module quantity	2pcs	3pcs	4pcs	5pcs	6pcs
CCT	3000K/4000K/6500K				
Lighting time	at least 18hours after one full charge				
Waterproof level	IP65				
Material	Aluminium +acrylic optical lens				
Warranty	3 Years				
Sensor	YES/NO				
Application site	Street, highway, school, yard, park, etc				
Remote	YES/NO				
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor				
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery				

- ① SOLAR
② SOLAR AND AC HYBRID



Different pole arms are available



Product Parameters

Model	SSL-316					
Power	40W	60W	80W	100W	120W	140W
Lithium battery	30Ah 6.4V	36Ah 6.4V	45Ah 6.4V	54Ah 6.4V	72Ah 6.4V	90Ah 6.4V
Mono solar panel(10V)	45W	55W	65W	85W	110W	140W
Module quantity	2pcs	3pcs	4pcs	5pcs	6pcs	8pcs
LED Chip	240lm/W					
CCT	3000K/4000K/6500K					
Lighting time	at least 18hours after one full charge					
Waterproof level	IP65					
Material	Aluminium +acrylic optical lens					
Warranty	3 Years					
Sensor	YES/NO					
Application site	Street, Highway, school, yard, park, etc					
Remote	YES/NO					
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.switch on and off the sensor.					
Indicator light function (if needed)	1.It will be red flash when it is charging 2.It will be green when it is full charge 3.It will be fast green flash when it is low battery.					

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-323			
Power	100W	150W	200W	300W
Lithium battery	6.4V 36AH Brand new battery	6.4V 54AH Brand new battery	6.4V 72AH Brand new battery	6.4V 108AH Brand new battery
Solar panel(10V)	75W	110W	130W	160W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
CCT	3000K/ 4000K/ 6500K			
Charging time	6H			
Working time	More than 16hours after one full charge			
Waterproof level	IP65			
Material	Aluminum+acrylic lens			
Warranty	3 Years			
Application site	Street, highway, school, yard, park, etc			
Remote Function (if required)	1.On/Off 2.Brilliance control 3.Working time setting 4.Reset			

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-328		
Power	100W	150W	200W
Lithium battery	6.4V 36AH	6.4V 54AH	6.4V 72AH
Solar panel(10V)	75W	110W	130W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	2PCS	3PCS	4PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	Aluminum+acrylic optical lens		
Warranty	3 Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).		


- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-324	
Power	100W	150W
Lithium battery	6.4V 36AH	6.4V 60AH
Solar panel(10V)	75W	110W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD
Module quantity	1PCS	
CCT	3000K/4000K/6500K	
Charging time	6H	
Lighting time	More than 18 hours after one full charge	
Waterproof level	IP65	
Material	Aluminum+acrylic optical lens	
Warranty	3 Years	
Application site	Street, highway, school, yard, park, etc	
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).	

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-327		
Power	100W	150W	200W
Lithium battery	6.4V 36AH	6.4V 54AH	6.4V 72AH
Solar panel(10V)	65W	90W	130W
LED Chip	200lm/W 3030 SMD	200lm/W 3030 SMD	200lm/W 3030 SMD
Module quantity	2PCS	3PCS	4PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Lighting time	More than 18 hours after one full charge		
Waterproof level	IP65		
Material	Aluminum+acrylic optical lens		
Warranty	3Years		
Application site	Street, highway, school, yard, park, etc		
Remote function (if required)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.Switch on and off the sensor(if required).		

SOLAR
SOLAR AND AC HYBRID



220° wide angle



Product Parameters

Model	SSL-320			
Power	20W	30W	50W	70W
Lithium battery	30AH 3.2V	18AH 6.4V	30AH 6.4V	36AH 6.4V
Mono solar panel	28W	40W	53W	75W
Luminous	3600LM	5400LM	7200LM	9000LM
Beam angle	220°*70°			
CCT	3000K/4000K/6500K			
Charging time	6H			
Lighting time	More than 18 hours after one full charge			
Waterproof level	IP65			
Material	Die casting aluminum			
Warranty	3 Years			
Application site	Outdoor, rural roads , engineering projects , etc			
Product features	wide beam angle,high brightness , fast charging , intelligent dimming rainy day mode , timing mode			

①SOLAR
②SOLAR AND AC HYBRID



Product Parameters

Model	SSL-312					
Power	30W	50W	60W	100W	120W	150W
Lithium battery	36AH 3.2V	54AH 3.2V	36AH 6.4V	54AH 6.4V	72AH 6.4V	54AH 12.8V
Mono solar panel	40W 6V	53W 6V	75W 10V	110W 10V	140W 10V	190W 18V
MPPT	Fast charging version					
BMS	After long time usage,the lamp still have high brightness and under good quality					
CCT	3000K/4000K/6500K					
Charging time	6H					
Lighting time	More than 18 hours after one full charge					
Waterproof level	IP65					
Material	Die casting aluminum					
Warranty	3 Years					
Application site	Outdoor , rural roads , engineering projects , etc					
Product features	High brightness , fast charging , intelligent dimming rainy day mode , timing mode					

- ① SOLAR
② SOLAR AND AC HYBRID



Product Parameters

Model	SSL-Hybrid
Power	45W
Lithium battery	6.4V 36AH
Mono solar panel	65W
Solar Luminous	7875Lm
AC Luminous	7875Lm
CCT	3000K/4000K/6500K
Lighting time	at least 18hours after one full charge
Waterproof level	IP65
Material	Aluminium +acrylic lens
Warranty	3 Years
Sensor	YES/NO
Application site	Street, Highway, school, yard, park, etc
Remote	YES/NO
Remote function (if needed)	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.switch on and off the sensor(if required).
Indicator light function (if needed)	1.It will be red when it is AC. 2.It will be green when it is solar working. 3.It will be red flash when it is charged.

① SOLAR
② SOLAR AND AC HYBRID



Rotatable



Speaker



Product Parameters

Model	SSL-339-CCTV	
Power	400W	600W
Lithium battery	3.2V 36AH	3.2V 48AH
Solar panel	35W 4V Mono	50W 4V Mono
LED QTY	109 pcs 5050 240lm/W	139 pcs 5050 240lm/W
Resolution	5 million pixel	
CCTV connected way	WIFI/4G	
CCT	6500K-7500k	
Working time	7 rainy days	
CCTV working time	24 hours	
Waterproof level	IP65	
Material	Brand new ABS	
Warranty	2.5Years	
Application site	street, community, home, villa, school, farm, yard park, warehouse, etc	
Function	Intelligent Light Control + Remote Control + Radar Sensing	

① SOLAR
② SOLAR AND AC HYBRID



Horizontal rotation 355°
Oblique rotation 85°

Product Parameters

Model	SSL-304-Fixed		SSL-304-PTZ	
Power	50W		50W	
Lithium battery	6.4V 72AH		6.4V 72AH	
Solar panel	110W 9V		110W 9V	
Resolution	2 million pixel	5 million pixel	2 million pixel	5 million pixel
CCTV connected way	WIFI/4G+WIFI		WIFI/4G+WIFI	
CCTV specification	FIXED LENS 5 times zoom Material: Metal		Horizontal rotation 355° Oblique rotation 85° Material: Metal	
CCT	3000K/4000K/6500K		3000K/4000K/6500K	
Lighting time	at least 16 hours after one full charge		at least 16 hours after one full charge	
CCTV working time	24 hours		24 hours	
Waterproof level	IP65		IP65	
Material	Aluminium acrylic optical lens		Aluminium acrylic optical lens	
Warranty	3 Years		3 Years	
Application site	street, community, home villa, school, farm, yard park, warehouse, etc		street, community, home villa, school, farm, yard park, warehouse, etc	

- ① SOLAR
- ② SOLAR AND AC HYBRID



SSL-302-Bullet



SSL-302-PTZ

Product Parameters

Model	SSL-302-Bullet		SSL-302-PTZ	
Power	50W		50W	
Lithium battery	6.4V 54AH		6.4V 66AH	
Solar panel	75W 10V		110W 10V	
Resolution	2 million pixel	5 million pixel	2 million pixel	5 million pixel
CCTV connected way	WIFI/4G+WIFI		WIFI/4G+WIFI	
CCT	3000K/ 4000K/ 6500K		3000K/ 4000K/ 6500K	
Lighting time	at least 16 hours after one full charge		at least 16 hours after one full charge	
CCTV working time	24 hours		24 hours	
Waterproof level	IP65		IP65	
Material	Aluminium acrylic optical lens		Aluminium acrylic optical lens	
Warranty	3 Years		3 Years	
Application site	street, community, home villa, school, farm, yard park, warehouse, etc		street, community, home villa, school, farm, yard park, warehouse, etc	



3 COLORS IN 1

3 COLORS
TEMPERATURE IN 1



Product Parameters

Model	SSL-301A			
Power	200W	300W	400W	500W
Lithium battery	15AH 3.2V	30AH 3.2V	18AH 6.4V	30AH 6.4V
Photovoltaic panel(9V)	21W	28W	40W	53W
Luminous	2550LM	3300LM	4375LM	5250LM
LED Qty(2835 SMD)	220 PCS	220 PCS	416 PCS	416 PCS
CCT	3000K&4000K&6500K in one lamp			
Lighting time	at least 18hours after one full charge			
Waterproof level	IP65			
Material	Aluminium+acrylic lens			
Warranty	3 Years			
Application site	street , home , villa , school , farm , yard , park , basement , etc			
Remote function	1. On / Off 2. CCT seting 3. Brilliance control 4. Working time setting 5.Sensor can be on / off by remote			



3 COLORS IN 1

3 COLORS
TEMPERATURE IN 1



Product Parameters

Model	SSL-301		
Power	300W / 400W (Regular model)	300W / 400W (Regular model)	300W / 400W (Triple colors)
Lithium battery	6 . 4V 15AH / 18AH	6 . 4V 15AH / 18AH	6 . 4V 15AH / 18AH
Photovoltaic panel(9V)	28W/40W	28W/40W	28W/40W
Luminous	3000LM/4500LM	3000LM/4500LM	3000LM/4500LM
LED Qty(2835 SMD)	120/240 PCS	120/240 PCS	120/240 PCS
CCT	3000K/4000K/6500K	3000K/4000K/6500K	3000K&4000K&6500K in one
Lighting time	Whole night + 3 rainy days	Whole night + 3 rainy days	Whole night + 3 rainy days
Waterproof level	IP65		
Material	Die casting aluminum		
Warranty	3Years		
Application site	street , community , home , villa , school , farm , yard , park , warehouse , etc		
Remote function	1. On / Off 2. Brilliance control 3. Working time setting	1. On / Off 2. Brilliance control 3. Working time setting 4. Sensor can be on / off by remote	1. On / Off 2. Brilliance control 3. Working time setting 4. Sensor can be on/off by remote



Product Parameters

Model	SSL-522				
Power	50W	100W	150W	250W	360W
Lithium battery(3.2V)	6AH	11AH	12AH	18AH	24AH
Photovoltaic panel(5V)	10W	12W	17W	21W	24W
Luminous	650lm	1040lm	2100lm	2500lm	2700lm
LED Qty(5730 SMD)	48 PCS	96 PCS	144 PCS	250 PCS	360PCS
CCT	3000K/4000K/6500K				
Sensor(if required)	Can be on and off by remote				
Lighting time	Whole night + 3 rainy days				
Waterproof level	IP65				
Material	ABS				
Warranty	3 Years				
Application site	street , community , home , villa , school , farm , factory , yard , park , warehouse , etc				
Features	fast charging version ,high brightness , radar sensor				
Remote function	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.On and off sensor				



Product Parameters

Model	SSL-520			
Power	30W	60W	90W	120W
Lithium battery(3.2V)	6AH	11AH	12AH	18AH
Photovoltaic panel(5V)	7W	12W	15W	20W
Luminous	610LM	1100LM	2200LM	2650LM
LED Qty(2835 SMD)	60 PCS	120 PCS	180 PCS	240 PCS
CCT	3000K/4000K/6500K			
Sensor(if needed)	Can be on and off by remote			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP65			
Material	ABS			
Warranty	3 Years			
Application site	street , community , home , villa , school , farm , factory , yard , park , warehouse , etc			
Features	Dual MPPT controller , Mono panel , high brightness , radar sensor ,fast charging			
Remote function	1.Increasing and reducing the brightness 2.Operation time setting 3.On and off 4.On and off sensor			

Wide beam angle



Product Parameters

Model	SSL-317		
Power	300W	400W	500W
Lithium battery	18AH 3.2V	15AH 6.4V	18AH 6.4V
Photovoltaic panel	21W	30W	38W
Luminous	2250LM	3000LM	4500LM
LED Qty(2835 SMD)	480 PCS	640 PCS	800 PCS
CCT	3000K/4000K/6500K		
Charging time	6H		
Sensor(if needed)	sensor can be on and off by remote		
Waterproof level	IP65		
Material	ABS		
Warranty	3 Years		
Application site	street , community , home , villa , school , farm , yard , park ,warehouse . etc		
Indicator	1. It will be green flash when it is charging 2.It will be full green when it is full charge		



Product Parameters

Model	SSL-309 ABS				
Power	50W	100W	150W	200W	300W
Lithium battery(3.2V)	5AH	10AH	12AH	18AH	22AH
PhotovoltaicPanel(4.5V)	7W	10W	13W	21W	25W
Luminous	450 Lm	750 Lm	1500 Lm	2250 Lm	3000 Lm
LED Qty(5730 SMD)	60 PCS	102 PCS	198 PCS	418 PCS	428 PCS
CCT	3000K/4000K/6500K				
Lighting time	Whole night				
Charging time	6H				
Waterproof level	IP65				
Material	ABS				
Warranty	3 years				
Application site	street, community, home villa, school, farm, yard, park, warehouse, etc				
Product features	street, community, home villa, school, farm, yard, park, warehouse, etc				
Remote	YES / NO				
Sensor	Yes / No, can be off by remote				



Product Parameters

Model	SSL-310 ABS		
Power	300W	400W	500W
Lithium battery	3.2V 18AH	6.4V 12AH	6.4V 18AH
PhotovoltaicPanel(10V)	23W	35W	40W
Luminous	2200Lm	2600Lm	3250Lm
LED Qty(5730 SMD)	480PCS	640PCS	800PCS
CCT	3000K/4000K/6500K		
Lighting time	Whole night		
Charging time	6H		
Waterproof level	IP65		
Material	ABS		
Warranty	3 years		
Application site	street, community, home villa, school, farm, yard, park, warehouse, etc		
Product features	street, community, home villa, school, farm, yard, park, warehouse, etc		
Remote	YES / NO		
Sensor	Yes / No, can be off by remote		

①SOLAR
②SOLAR AND AC HYBRID

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1



3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness



Foldable

Product Parameters

Model	SFL-I
Power	200W
Lithium battery	15AH 3.2V Brand new EV Battery
Photovoltaic panel	5V 12W Mono
CCT	3000K&4000K&6500K in one lamp OR single color
Charging time	6H
Lighting time	Whole night + 3 rainy days
Waterproof level	IP65
Material	ABS
Warranty	2 Years
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc
Remote Function	1.On/Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1



3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness

Product Parameters

Model	SFL-G			
Power	100W	200W	300W	500W
Lithium battery	15AH 3.2V	18AH 3.2V	30AH 3.2V	18AH 6.4V
Photovoltaic panel	14W	21W	28W	40W
Luminous	1400lm	2000lm	2625lm	4300lm
LED Qty(5050/2835SMD)	40/160 PCS	60/240PCS	84/336 PCS	112/448 PCS
CCT	3000K&4000K&6500K in one lamp OR single color			
Charging time	6H			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP66			
Material	Die casting aluminum + acrylic optical lens			
Warranty	3 Years			
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc			
Remote Function	1.On/Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset			

①SOLAR
②SOLAR AND AC HYBRID

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1

3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness




Product Parameters

Model	SFL-H				
Power	200W	500W	800W	1000W	1200W
Lithium battery	15AH 6.4V	18AH 6.4V	30AH 6.4V	36AH 6.4V	54AH 6.4V
Photovoltaic panel	28W	40W	53W	75W	110W
Luminous	3000lm	4725lm	6200lm	8750lm	12600lm
LED Qty(5050/2835SMD)	80/160 PCS	120/240PCS	169/338 PCS	238/476 PCS	238/476 PCS
CCT	3000K&4000K&6500K in one lamp OR single color				
Charging time	6H				
Lighting time	Whole night + 3 rainy days				
Waterproof level	IP66				
Material	Die casting aluminum + acrylic optical lens				
Warranty	3 Years				
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc				
Remote Function	1.On/Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset				

① SOLAR
② SOLAR AND AC HYBRID

High brightness!



Product Parameters

Model	SFL-J			
Power	1000W	1200W	1500W	1800W
Lithium battery	6.4V 36AH Brand new battery	6.4V 45AH Brand new battery	6.4V 54AH Brand new battery	6.4V 72AH Brand new battery
Solar panel(10V)	75W	85W	110W	130W
LED Chip	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD	240lm/W 5050 SMD
CCT	3000K/ 4000K/ 6500K			
Charging time	6H			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP65			
Material	Aluminum			
Warranty	3 Years			
Application site	High pole, indoor and outdoor, street, school, farm, garage, park, community, basement, warehouse, factory, hospital, etc			
Remote Function	1.On/Off 2.Brilliance control 3.Working time setting 4.Reset			

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1

WARNING FUNCTION
CONVENIENT FLASH FUNCTION
FOR EMERGENCIES





Product Parameters

Model	SFL-D 3CCT IN ONE+Warning function					
Power	60W	100W	200W	300W	500W	800W
Lithium battery	3.2V 6AH	3.2V 15AH	3.2V 18AH	3.2V 30AH	6.4V 18AH	6.4V 30AH
Photovoltaic panel	10W 6V	14W 6V	21W 6V	28W 6V	40W 9V	53W 9V
Luminous	870Lm	1400Lm	2100Lm	3000Lm	4000Lm	4300Lm
Indicator function	1. It will be green flash when it is charging 2. It will be full green when it is full charge 3. Warning function					
CCT	3000K&4000K&6500K in one OR single color					
Lighting time	at least 18hours after one full charge					
Waterproof level	IP65					
Material	ABS+acrylic optical lens					
Warranty	3 Years					
Application site	Indoor and outdoor, street, school, farm, garage, park, community, basement, warehouse, factory, hospital, etc					
Product features	3CCT IN ONE+Warning function					
Remote	Yes					
Remote function	1. Increasing and reducing the brightness 2. Operation time setting 3. On and off 4. Color temperature choice 5. On and off warning function					

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1


WARNING FUNCTION
CONVENIENT FLASH FUNCTION
FOR EMERGENCIES

3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness



Product Parameters

Model	SFL-A			
Power	100W	300W	500W	800W
Lithium battery	15AH 3.2V	30AH 3.2V	18AH 6.4V	30AH 6.4V
Photovoltaic panel(9V)	14W	28W	40W	53W
Luminous	1200lm	2250lm	3750lm	4500lm
LED Qty(2835 SMD)	140 PCS	216 PCS	396 PCS	600 PCS
CCT	3000K&4000K&6500K in one lamp OR single color			
Charging time	6H			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP66			
Material	Die casting aluminum + glass			
Warranty	3 Years			
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc			
Remote Function	1.On/ Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset 6.On and Off of Warning			



Product Parameters

Model	SFL-E			
Power	20W	30W	35W	55W
Lithium battery	3.2V 30AH	6.4V 18AH	6.4V 24AH	6.4V 36AH
Photovoltaic panel	28W 5V	40W 9V	53W 10V	75W 10V
Luminous	2600Lm	4375Lm	5250Lm	8750Lm
LED Qty(5450 SMD)	60pcs	60pcs	120pcs	120pcs
CCT	3000K/4000K/6500K			
Lighting time	at least 18hours after one full charge			
Waterproof level	IP65			
Material	Aluminium +acrylic optical lens			
Warranty	3 Years			
Application site	street,community,villa,school,farm,factory,park,basement,etc			
Product features	Mono panel , high brightness , fast charging			
Remote	YES/NO			
Remote function	1.On and off 2.Brightness adjustment 3.Time setting			



3 COLORS IN 1

3 COLORS
TEMPERATURE IN 1

3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness



Product Parameters


Model	SHB-B				
Power	50W	100W	150W	250W	400W
Lithium battery	6AH 3.2V	12AH 3.2V	18AH 3.2V	24AH 3.2V	18AH 6.4V
Photovoltaic panel	10W 6V Mono	14W 6V Mono	21W 6V Mono	28W 6V Mono	40W 9V Mono
LED Chip	2835				
CCT	3000K&4000K&6500K in one lamp or single color				
Charging time	6H				
Lighting time	Whole night + 3 rainy days				
Waterproof level	IP65				
Material	ABS+Acrylic				
Warranty	3 Years				
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc				
Remote Function	1.On/ Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset				



3 COLORS IN 1

3 COLORS
TEMPERATURE IN 1

3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness



Product Parameters


Model	SHB-A			
Power	100W	150W	200W	300W
Lithium battery	12AH 3.2V	18AH 3.2V	24AH 3.2V	18AH 6.4V
Photovoltaic panel	14W	21W	28W	40W
CCT	3000K&4000K&6500K in one lamp or single color			
Charging time	6H			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP65			
Material	Acrylic+plastic			
Warranty	3 Years			
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc			
Remote Function	1.On/Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset			



3 COLORS IN 1

3 COLORS
TEMPERATURE IN 1

3000K&4000K&6500K in one lamp / single color
Can be switched on in the day if required
Memory of working time,on/off,brightness



Product Parameters

Model	SCL-A			
Power	50W	100W	300W	500W
Lithium battery	6AH 3.2V	15AH 3.2V	15AH 6.4V	18AH 6.4V
Photovoltaic panel(9V)	10W	14W	28W	40W
Luminous	900lm	1800lm	2800lm	4000lm
LED Qty(2835 SMD)	100 PCS	180 PCS	276 PCS	396PCS
CCT	3000K&4000K&6500K in one lamp or single color			
Charging time	6H			
Lighting time	Whole night + 3 rainy days			
Waterproof level	IP65			
Material	Acrylic+plastic			
Warranty	3 Years			
Application site	Indoor and outdoor,street,school,farm,garage,park,community,basement,warehouse,factory,hospital,etc			
Remote Function	1.On/ Off 2.CCT setting 3.Brilliance control 4. Working time setting 5.Reset			

3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1

WARNING FUNCTION
CONVENIENT FLASH FUNCTION
FOR EMERGENCIES



Product Parameters

Model	SPL-A Solar portable lamp with Warning function			
Power	60W	100W	200W	300W
Lithium battery	15AH 3.2V	15AH 6.4V	18AH 6.4V	30AH 6.4V
PhotovoltaicPanel	14W	28W	40W	53W
Luminous	1200Lm	2250Lm	3750Lm	4500Lm
LED Qty(5730 SMD)	140 PCS	216 PCS	396 PCS	600 PCS
CCT	3000K&4000K&6500K in one lamp			
Lighting time	Whole night + 3 rainy days			
Charging time	6H			
Waterproof level	IP66			
Material	Die casting aluminum and acrylic			
Warranty	3 years			
Application site	Indoor and outdoor, street,school,farm,garage,park,community, basement,warehouse,factory,hospital,etc			
Remote function	1. On / Off 2. Brilliance control 3. Working time setting			

Product Parameters

Model	SFL-C Solar flood light			
Power	50W	100W	200W	300W
Lithium battery	3.2V 15AH	3.2V 18AH	6.4V 15AH	6.4V 18AH
PhotovoltaicPanel	6W	15W	20W	30W
Luminous	1300Lm	2000Lm	2500Lm	3900Lm
LED Qty(5730 SMD)	150 PCS	350 PCS	400 PCS	660 PCS
CCT	3000K/4000K/6500K			
Lighting time	Whole night + 3 rainy days			
Charging time	6H			
Waterproof level	IP66			
Material	Die casting aluminum and glass			
Warranty	3 years			
Application site	Indoor and outdoor, street,school,farm,garage,park,community, basement,warehouse,factory,hospital,etc			
Remote function	1. On / Off 2. Brilliance control 3. Working time setting			





Product Parameters

Model	SS-A				
Power	4W	7W	12W	15W	18W
Lithium battery	15Ah 3.2V	18Ah 3.2V	30Ah 3.2V	18Ah 6.4V	30Ah 6.4V
Solar panel(6V)	14W	21W	28W	40W	53W
Length	10m	20m	30m	40m	50m
CCT	RGB/3000K/4000K/6500K				
Warranty	3 Years				
Lighting time	at least 16 hours after one full charge				
Waterproof level	IP65				
Material	Silicone				
Application site	Street,bulding,tree,step,villa,yard,park,etc				
Remote	YES				
Remote function	1. select color 2. select flashing speed 3. select flashing style 4. On and off				



Product Parameters

Model	SGL	Color temperature	3000K/6500K/ 3000K+4000K+6500K+RGB in one
Panel	2w 5v Mono	Material	ABS+Acrylic
Battery	1500mah/2000mah 3.7v	Application site	Villa,school,farm,park,community,etc.
Waterproof level	IP65	Warranty	1.5Years/2 Years
Remote function	have memory after remote to set		



Product Parameters

Model	SGL	Color temperature	3000K/6500K/ 3000K+4000K+6500K+RGB in one
Panel	2w 5v Mono	Material	ABS+Acrylic
Battery	1500mah/2000mah 3.7v	Application site	Villa,school,farm,park,community,etc.
Waterproof level	IP65	Warranty	1.5Years/2 Years
Remote function	have memory after remote to set		




Product Parameters

Model	SGL
Panel	2.5w 5v Mono
Battery	1500mah/2000mah 3.7v
Waterproof level	IP65
Color temperature	3000K+4000K+6500K/ 3000K+4000+6500K+RGB in one
Material	ABS+Acrylic
Application site	Villa,school,farm,park,community,etc.
Warranty	1.5 Years/2 Years
Remote function	have memory after remote to set

1.also can make the following
colorful illuminant

2.there is fast and slow flashing
for choice





Product Parameters

Model	SGL
Panel	5w 5v Mono
Battery	4000mah 3.7v
Waterproof level	IP65
Color temperature	3000K/6500K/ 3000K+4000K+6500K+RGB in one
Material	ABS+Acrylic
Application site	Villa,school,farm,park,community,etc.
Warranty	1.5 Years/2 Years
Remote function	have memory after remote to set

1.also can make the following
colorful illuminant

2.there is fast and slow flashing
for choice





3000K+6500K in one

Product Parameters

Model	SWL
Panel	4.5w 5v Mono
Battery	6400mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years



Product Parameters

Model	SWL
Panel	4.5w 5v Mono
Battery	7000mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years


Pillar type is available



Product Parameters

Model	SBL
Panel	2w 5v Mono
Battery	3000mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years

different height is available



3000K+6500K in one

Product Parameters

Model	SBL
Panel	5w 5v Mono
Battery	6400mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years

different height is available



Product Parameters


Model	SBL
Panel	5w 5v Mono
Battery	7000mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years

different height is available



Product Parameters

Model	SBL
Panel	5w 5v/3w 6v Mono
Battery	8000mah 3.2v/4000mah 3.2v
Waterproof level	IP65
Color temperature	3000k-6500k
Material	Aluminum
Application site	Villa,school,farm,park,community,etc.
Warranty	2 Years



All the lamps have 7 shades for choice



RGB



3000K&4000K&6500K in one lamp / single color



Square type can be choose with or without borders

Product Parameters

Model	garden light-round		garden light-square	
Panel	3W 5V	6W 5V	3W 5V	6W 5V
Battery	3.7V 2.4AH	3.7V 4.8AH	3.7V 2.4AH	3.7V 4.8AH
Dimension	200*H670mm	245*H680mm	185*185*H670mm	225*225*H690mm
Color temperature	3000K&4000K&6500K in one lamp/single color/RGB			
Material	aluminum+acrylic			
Waterproof level	Ip65			
Warranty	2 Years			



All the lamps have 7 shades for choice



RGB



3000K&4000K&6500K in one lamp / single color



Square type can be choose with or without borders

Product Parameters

Model	pillar light-round		pillar light-square	
Panel	3W 5V	6W 5V	3W 5V	6W 5V
Battery	3.7V 2.4AH	3.7V 4.8AH	3.7V 2.4AH	3.7V 4.8AH
Dimension	200*H260mm	245*H270mm	185*185*H260mm	225*225*H280mm
Color temperature	3000K&4000K&6500K in one lamp/single color/RGB			
Material	ABS+acrylic			
Waterproof level	Ip65			
Warranty	2 Years			

Bluetooth
music speaker



Product Parameters

Model	UFOA Solar garden light
Power	500W
Lithium battery(3.2V)	30AH
Photovoltaic Panel	28W 10V
Luminous	3200Lm
CCT	3000K/4000K/6500K
Lighting time	Whole night + 2 rainy days
Charging time	6H
Waterproof level	IP65
Material	ABS
Warranty	2 years
Application site	street,villa.school,farm yard,park,etc
Product features	High brightness fast charging , bluetooth,music speaker available

Bluetooth
music speaker



Product Parameters

Model	UFOB Solar garden light		
Power	300W	400W	500W
Lithium battery	18AH 3.2V	18AH 3.2V	18AH 6.4V
Photovoltaic Panel	21W	21W	28W
Luminous	1800Lm	2100Lm	3000Lm
LED Qty	240 PCS	320 PCS	400 PCS
CCT	3000K+4000K+6500K/single color		
Lighting time	Whole night + 2 rainy days		
Charging time	6H		
Waterproof level	IP65		
Material	ABS		
Warranty	2 years		
Application site	street,villa.school,farm yard,park,etc		
Product features	High brightness fast charging , bluetooth,music speaker available		



3 COLORS IN 1
3 COLORS
TEMPERATURE IN 1

3000K-6500K SINGLE CCT
or 3 CCT IN ONE as required



Product Parameters

Model	S6L-UFOC
Panel	50W Mono
Battery	30ah 6.4v
SIZE(MM)	550*550
Color temperature	3000k-6500k SINGLE CCT /3 CCT IN ONE
Material	Brand new ABS
Application site	Villa,school,farm,park,community,etc.
Warranty	3 Years



3 COLORS IN 1





3 COLORS
TEMPERATURE IN 1

3000K-6500K SINGLE CCT
or 3 CCT IN ONE as required



Product Parameters

Model	SGL-UFOC
Panel	40W Mono
Battery	18ah 6.4v
SIZE(MM)	650*300*260
Color temperature	3000k-6500k SINGLE CCT /3 CCT IN ONE
Material	Brand new ABS
Application site	Villa,school,farm,park,community,etc.
Warranty	3 Years



Product Parameters

Model	PWL-C
Power	3W
Panel	3W 5V Mono
Battery	3ah 3.7v
Color temperature	3000K/4000K/6500K
Material	PC
Feature	Compact,Portable,Powerful and Stylish
Warranty	2 Years



3 color housing for choice



Product Parameters

Model	PWL-B
Panel	6W 6V Mono
Battery	15ah 3.7v
Color temperature	Gold color, 4500k, 6500k and RGB
Material	Plastic+glass
Lighting time	One full charge, the highest gear can more 30 hours
Warranty	2 Years
Function	1. Mosquito repellent light 2. Indicate electric quantity 3. Mobile phone charging 4. Warning flash 5. Bluetooth speaker 6. Brilliance control 7. CCT setting □ Gold color, 4500k, 6500k and RGB 8. The lamp can be charged by solar and USB



Mosquito repellent light
Mobile phone charging
Warning flash
Brilliance control
CCT setting □ Gold color, 4000k, 6500k □
Solar charging and USB charging



Product Parameters

Model	PWL-A
Panel	6W 6V Mono
Battery	9ah 3.7v
Color temperature	Gold color, 4000k, 6500k
Material	Plastic+glass
Waterproof level	IP65
Warranty	2 Years
Function	1. Mosquito repellent light 2. Mobile phone charging 3. Warning flash 4. Brilliance control 5. CCT setting □ Gold color, 4000k, 6500k □ 6. The lamp can be charged by solar and USB



ILUMINACIÓN SOLAR Y SOLAR/HÍBRIDA

kVA Technologies S.A.S. de C.V.

Tel. / WhatsApp: +52 833 189 7770

info@sunhatsolar.com

www.sunhatsolar.com

Tampico, Tamaulipas · México

Cotizaciones, fichas técnicas y disponibilidad a solicitud.